### New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Ocean County Residents

1.	Current HIV/AIDS		Cases	elescent *		Pediat Cases	_			Tota ases	al %	
	AIDS-Any OI AIDS-CD4 Only HIV Only		#	 # # 47		# # 5				86 179 239	17 36 47	5 7
	Total		497			7			_	504		
2.	Current Age * Cases %		3. Race/	Eth.		Adult/ Cases		Cases	tric* ; %		용	
	<5 # 5-12 6 13-19 9 20-29 28 30-39 104 2 40-49 226 4 50+ 130 2 Unk. #	1 5 6 #	White Black Hispa Other	e, Not Hisp a, Not Hisp anic c/Unknown	oanic oanic	326 # 73 #	66 # 15 #	6 # 0 #	86 # 0 #	332 # 73 #	66 # 14 #	
	Total 504 10											
4.	Patient Group			Males	%	dolescer	Female	s 8	5	Tota	al	%
	Men sex with men Injection drug u MSM/IDU Heterosexual con Risk not reporte	(MSM) ser (IDU) tact d/other***		103 11 36 67	33 32 3 11 21		48 0 82 37	29 0 49 22	)	15 1 11 10	)7 51 L1 L8 )4	22 31 2 24 21
	Total			324			167			49	91	100
				Males	%	diatric	Female	s %		Tota		olo
	Parent at risk/h Risk not reporte	as AIDS/HIV		# #			##	#	+		# #	 # #

NOTE: Includes only those persons known to be infected with HIV.

-----

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification based on current age at the end of December 2003.
- \*\* 6 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

5 100 8 100

13 100

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Ocean County Residents

Adult/Adolescent\*

		Adult/Adolescent^			Peal	Latric^		Total			
1. Disease C	ategory	Ca	ises (%)	Deaths (%)	Cases (%)		%) Cases (	응)	Deaths (%)		
PCP Other OI KS Alone No Diseas	e Listed		20 ( 3)	# ( #) # ( #) 19 ( 95) 139 ( 45)	# ( #) # ( #)	# ( # ( O (	.) 20 ( .) 318 (	32) 2) 39)	194 ( 88) 201 ( 79) 19 ( 95) 139 ( 45)		
Total			800 (100)	543 ( 69)	18 (100)	10 (	56) 818 (1		553 ( 69)		
2. Age *	Cases	olo	3. Race	/Eth.		Cases %	Cases	왕			
Under 5	12	 1	White	e, Not Hispanic	564 71	10 5	6 574	70			
5-12	6	1	Blac	k, Not Hispanic	154 19	5 2	8 159	19			
13-19	6	1			# #	#	# 83	10			
20-29	89	11		r/Unknown	# #		# #	#			
30-39	344	42									
40-49	263	32	Tota	1	800 100	18 10	0 818	100			
Over 49	98	12									
Unknown	0	0									
Total	818	100	-								
4. Patient G	roup				Lt/Adolescent Tr % Fema	cansmission					

Pediatric\*

Total

	Males	70	remates	70	IOCAL	70	
Men sex with men (MSM)	201	34	0	0	201	25	
Injection drug user (IDU)	256	43	91	45	347	43	
MSM/IDU	30	5	0	0	30	4	
Heterosexual contact	27	5	79	39	106	13	
Risk not reported/other***	85	14	31	15	116	15	
Total	599	100	201	100	800	100	

		des			
	Males	용	Females %	Total	용
Parent at risk/has AIDS/HIV	7	78	9 100	16	89
Risk not reported/other***	#	#	0 0	#	#
Total	9	100	9 100	18	100

<sup>#</sup> indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

 $<sup>^{\</sup>star}$  Classification at time of AIDS diagnosis.

<sup>\*\* 0</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Ocean County Residents

## 5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	9	9	100%
1985	12	11	92%
1986	20	20	100%
1987	26	26	100%
1988	35	35	100%
1989	57	53	93%
1990	56	47	84%
1991	51	46	90%
1992	68	60	88%
1993	105	82	78%
1994	83	58	70%
1995	77	43	56%
1996	39	14	36%
1997	35	14	40%
1998	19	9	47%
1999	23	7	30%
2000	31	7	23%
2001	24	#	#
2002	29	#	#
2003	19	#	#
Total	818	553	68%

# New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Ocean County Residents

Adult/Adl\*

Cases %

Pediatric\*

Cases %

Total

100

Cases

#

100

-•	1190	oabcb	· ·	٠.	race, E	011111	o i c y	our		0	ou	565	o	00	2000	
	Under 5 5-12 13-19 20-29 30-39	7	# # 2 18			Not ic Unkno	Hispanic Hispanic		#	#		# # # #	 # # #		187 58 42 #	
	40-49	78			Total				284	100		5	100		289	
	Over 49 Unknown	25 0			iocai				201	100		3	100		209	
	Total	289	100													
3.	Patient Gro	up						,	dole		Trans		on Mod		0	
							Males	응 		1	emales	* 		Total	용	
	Men sex with Injection do MSM/IDU Heterosexual Risk not rep	rug user l contac	(IDU)	k			53 62 6 20 38	30 35 3		-	-	0 35 0 41 24		53 99 6 63	19 35 2 22	
	Total						179	100		-	105	100		284	100	
									diat	_	ransmi					
							Males	%		E	remales	응		Total	응	
	Parent at r	<b>-</b> isk/has	AIDS/HI	ΙV			#	#		_	#	#		#	#	

- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Cases % 2. Race/Ethnicity

1. Age \*

Risk not reported/other\*\*\*

Total

- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Ocean County Residents

1.	Current HI			Cases	%	Case	es	%	Cases	%	
	AIDS-Any O AIDS-CD4 O HIV Only	I		482 318 284	44 29 26	:	18 0 5	78 0 22	500 318 289	45 29 26	
	Total			1084	100		23	100	1107	100	
2.	Age *	Cases	06	3. Race/Eth.		Adult/A	Adl*	Pediat Cases	cric*	To Cases	tal %
	Under 5 5-12 13-19 20-29	21 # 16 165	 2 # 1 15	Black, No Hispanic Other/Unk	t Hispanic	747 211 #	69 19	14 6 #	 61 26 #	761 217 125 #	69 20 11 #
	30-39 40-49 Over 49 Unknown	476 312 115 #	43 28 10 #	Total		1084	100	23	100	1107	100

Adult/Adolescent \* Pediatric \*

Total

Patient Group	Ac	lult/Adole	escent Transı	mission N	Modes **	
	Males	%	Females	%	Total	왕
Men sex with men (MSM)	254	33		0	254	23
Injection drug user (IDU)	318	41	128	42	446	41
MSM/IDU	36	5	0	0	36	3
Heterosexual contact	47	6	122	40	169	16
Risk not reported/other***	123	16	56	18	179	17
Total	778	100	306	100	1084	100
		Pediat	tric Transmi:	ssion Mod	100	
	Males	%	Females		Total	90
D				1.00		
Parent at risk/has AIDS/HIV	9	75		100	20	87
Risk not reported/other***	#	#	0	0	#	#

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

Total 1107 100

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Ocean County Residents

### 5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	10	9	90%
1985	17	16	94%
1986	28	25	89%
1987	41	37	90%
1988	59	52	88%
1989	72	66	92%
1990	84	56	67%
1991	80	61	76%
1992	106	64	60%
1993	111	66	59%
1994	101	55	54%
1995	80	32	40%
1996	48	15	31%
1997	43	8	19%
1998	36	11	31%
1999	46	12	26%
2000	50	8	16%
2001	29	#	#
2002	36	#	#
2003	30	#	#
Total	1107	603	54%